



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/742,165	12/20/2000	G. Wyndham Hannaway	GWA0001	9712

7590 03/11/2005

Kent A. Lembke  
Hogan & Hartson L.L.P.  
One Tabor Center  
1200 Seventeenth Street, Suite 1500  
Denver, CO 80202

EXAMINER

ZHONG, CHAD

ART UNIT	PAPER NUMBER
----------	--------------

2152

DATE MAILED: 03/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/742,165

Applicant(s)

HANNAWAY, G. WYNDHAM

Examiner

Chad Zhong

Art Unit

2152

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 31 December 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-26 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

Art Unit: 2152

### FINAL ACTION

1. This action is responsive to communications: Amendment, filed on 10/01/2004. This action has been made final.

Claims 1-26 are presented for examination. In amendment A, filed on 10/01/2004:

Claims 1-26 are presented for examination.

### *Claim Rejections - 35 USC § 102*

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 1-10, 12-13, 15, 20-26 are rejected under 35 U.S.C. 102(b) as being anticipated by Nelson et al. (hereinafter Nelson), US 4,598,397.

6. As per claim 1, Nelson teaches a synchronization system for time-based synchronization of streaming media transmitted over a communications network, comprising:

an input interface (wherein the interface is Fig 2, item 11) adapted for linking to the communications network to receive a first and a second media stream (see for example, Col. 5, lines 12-15, wherein the first media stream is asynchronous character oriented data, and second media stream is the synchronous terminal data), wherein the first and second media streams comprise a plurality of digital data packets being transmitted over the communications network from a first and a second media source (see for example, Col. 6, lines 55-67, wherein the sources comprises of plurality of clear channel devices and CODEC's), respectively (Col. 5, lines 12-15, lines 26-28, lines 31-35);

a first data buffer for storing the data packets of the first media stream (see for example, Fig 10(d)

Art Unit: 2152

item 312, wherein the buffer is storing information about the synchronous information);

a second data buffer for storing the data packets of the second media stream (see for example, Fig 10(d), item 320, wherein the buffer is storing asynchronous information); and

a controller (see for example, Fig 10(d), item 322) communicatively linked to the first and the second data buffers for selectively retrieving the data packets of the first and second media streams to form a first and a second time-adjusted stream (wherein the retrieving is done selectively depending on the mode of the system, i.e. synchronous or asynchronous, and judging from the clock signals going into items, 320 and 316, the original stream is adjusted in accordance with output of item 342, thus the time adjusted stream is realized, Col. 19, lines 15-20, Col. 20, lines 5-35; Col. 9, lines 66-67; Col. 10, lines 1-3, lines 12-13, lines 23-24),

wherein the controller determines a variable transmission delay (Col. 9, lines 24-26, Col. 13, lines 60-65, wherein the data is delayed prior to arriving at destination to allow proper synchronization.

Furthermore, the controller 322 would determine the delay necessary, i.e. time in which the streams will be send out to the Multiplexor and retrieve data from the buffers based on such a delay, this is because Nelson's invention is to combine different streams of data, see for example, Col. 25, lines 40-50) for the first and the second media streams and performs the selective retrieving based on the determined variable transmission delays (Col. 13, lines 60-64; Col. 10, line 67-Col. 11, line 10);

wherein the controller is further configured for combining the first and second time-adjusted streams into a composite media stream (wherein the composite stream is realized through the Multiplexor item 318 on Fig 10, wherein the synchronous data and asynchronous data is combined into a stream; Col. 5, lines 12-15).

7. As per claim 2, Nelson teaches the system of claim 1, wherein the first and the second media streams include a streaming video portion (Col. 6, lines 57-58).

8. As per claim 3, Nelson teaches the system of claim 2, wherein the streaming video portion of the first media stream is compressed based on a first compression format and the second media stream is compressed based on a second compression format, the second compression format differing from the first compression format (Col. 5, lines 7-15, lines 26-28).
9. As per claim 4, Nelson teaches the system of claim 3, further including a decoding device between the input interface and the first and second data buffers for processing compressed first and second media streams into a first decoded stream and a second decoded stream, respectively, for storage in the first data buffer and the second data buffer, wherein the first decoded stream and the second decoded stream have compatible formatting (Col. 6, lines 58-63; Col. 7, lines 40-42).
10. As per claim 5, Nelson teaches the system of claim 1, wherein the controller forms the composite media stream by combining the first and the second time-adjusted streams such that the second time-adjusted stream has a first data packet positioned at a start time adjacent a last data packet of the first time-adjusted stream positioned at an end time (Col. 9, lines 50-52).
11. As per claim 6, Nelson teaches the system of claim 5, wherein the controller is communicatively linked to an external timing reference for receiving a reference time value, and wherein the controller is adapted for using the reference time value to determine the start time and the end time (Col. 10, lines 1-3, lines 12-13, lines 23-24).
12. As per claim 7, Nelson teaches the system of claim 5, wherein the controller determines a length of the first media stream (Col. 12, lines 26-29), compares the length with the end time and the variable network delay, computes an edit length for the first media stream, and compresses or lengthens the first media stream to form the first time-adjusted stream, whereby the last data packet coincides with the end time (Col. 13, lines 60-63; Col. 10, lines 12-13, lines 27-39, lines 67-68; Col. 11, lines 1-10).

13. As per claim 8, Nelson teaches the system of claim 1, further including a data parsing device in communication with the input interface configured for retrieving time data from the first and the second media streams and for transmitting the time data to the controller, wherein the controller uses the time data to determine variable transmission delays (Col. 10, lines 27-39; Col. 10, line 67-Col. 11, line 10).

14. As per claim 9, Nelson teaches the system of claim 7, wherein the controller is adapted to create media server control signals based on the determined variable transmission delays and to transmit the signals over the communications network to the first and the second media sources to control transmission variables of the first and second media streams (Col. 7, lines 4-13).

15. As per claim 10, Nelson teaches the system of claim 9, wherein the transmission variables are selected from the group consisting of transmission timing, transmission rate, and transmission length (Col. 12, lines 26-29; Col. 10, lines 23-24, lines 28-39).

16. As per claim 12, Nelson teaches the system of claim 1, wherein the controller combines the first media stream and second media stream in the composite media stream such that a data packet transmitted in the first media stream from the first media source at a transmission time is matched with a corresponding data packet in the second media stream transmitted from the second media source at the transmission time (Col. 5, lines 12-15; Col. 6, lines 59-63; Col. 10, lines 27-39).

17. As per claim 13, Nelson teaches the system of claim 12, wherein the combining is performed by the controller by selecting a transmission rate for the first and the second media streams to correct for the determined variable transmission delays (Col. 10, line 67-Col. 11, line 10; Col. 10, lines 27-39).

18. As per claim 14, Nelson teaches the system of claim 1, further including an output interface for transmitting the composite media stream from the controller over the communications network and

Art Unit: 2152

including an end-user node linked to the communications network for receiving the composite media stream (Col. 5, lines 12-15; Col. 5, lines 49-54), wherein the end user node comprises a synchronizer for determining a variable transmission delay between the controller and the end user node and for performing time based correction of the composite media stream to adjust for the variable transmission delay (see for example, Col. 14, lines 45-48).

19. As per claim 15, Nelson teaches an apparatus for synchronizing media streams transmitted over a communication network, comprising:

an input interface linked to the communications network and configured for receiving a first and a second media stream transmitted by a first and a second media source, respectively, wherein the first media stream comprises a plurality of data packets encoded to a first compression standard and the second media stream comprises a plurality of data packets encoded to a second compression standard differing from the first compression standard (Col. 5, lines 12-15, lines 25-27);

a decoder for decoding the first and the second media streams into a first and a second intermediate media stream, respectively, wherein the first and second intermediate streams are compatibly formatted (Col. 6, lines 58-63); and

a streaming media processor for combining the first and the second intermediate format media streams into a composite media stream encoded according to an output compression standard (Col. 5, lines 12-15, lines 25-27; Col. 6, lines 58-63).

20. As per claim 20, Claim 20 is rejected for the same reasons as rejection to claim 1 above.

21. As per claim 21, Nelson teaches the method of claim 20, further including:

retrieving timing data from the first and second media stream (Col. 5, lines 49-54);

comparing the timing data with a reference time to determine a first and a second transmission delay value (Col. 10, lines 1-3, lines 12-13, lines 23-24); and

adjusting the first and the second media streams to correct for the first and the second transmission delay values (Col. 10, lines 27-39; Col. 10, line 67-Col. 11, line 10).

22. As per claim 22, Nelson teaches the method of claim 21, wherein the adjusting includes creating a first and a second control signal in response to the first and the second transmission delay values, respectively, and includes transmitting the first and the second control signals to the first and the second media source to control transmittal of the first and the second media streams (Col. 7, lines 5-13; Col. 12, lines 26-29).

23. As per claim 23, Nelson teaches the method of claim 21, storing the data packets of the first media stream in a first data buffer and the data packets of the second media stream in a second data buffer (Col. 9, lines 62-63), and wherein the adjusting includes selectively retrieving the data packets of the first media stream from the first data buffer to correct for the first transmission delay value and selectively retrieving the data packets of the second media stream from the second butter to correct for the second transmission delay value (Col. 13, lines 60-64; Col. 10, line 67-Col. 11, line 10).

24. As per claim 24, Nelson teaches the method of claim 21, wherein the adjusting includes matching the data packets of the first and the second media streams based on transmittal times from the first and the second media sources, respectively, whereby the first and the second media streams are presented in the synchronized media stream concurrently (Col. 5, lines 12-15; Col. 6, lines 59-63; Col. 10, lines 27-39).

25. As per claims 25 and 26, Claims 25 and 26 are rejected for the same reasons as rejections to claim 3 above.

***Claim Rejections - 35 USC § 103***

26. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness



rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

27. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nelson et al. (hereinafter Nelson) 4,598,397, in view of Applicant Admitted Prior Art (AAPA), further in view of “FIRST GENERATION OF TRUE HDTV COMPONENT PRODUCTS AND ADVANCED LINE OF ANALOG PROJECTION TELEVISIONS UNVEILED BY MITUBUSHI CONSUMER ELECTRONICS AMERICA”, Mitsubishi, 1999.

28. As per claim 11, Nelson does not explicitly teach the system of claim 1, wherein the composite media stream comprises a streaming video portion having picture-in-picture or side by side portions formed with the data packets of the first and the second time-adjusted streams.

29. AAPA teaches the system of claim 1, wherein the composite media stream comprises a streaming video portion having picture-in-picture or side by side portions formed with the data packets of the first and the second time-adjusted streams (pg 3, lines 21-24), for the advantage of multiple synchronized display options for the user, the specification mentions “user demand” such synchronization techniques. This advantage is further exemplified by Mitsubishi, see for example, page 2, “multiple picture system”, wherein there exist plurality of display options for users.

30. It would have been obvious to one of ordinary skill in this art at the time of invention was made to combine the teaching of AAPA, Mitsubishi and Nelson because they both dealing with combining streams into a composite stream. Furthermore, the teaching of AAPA to allow wherein the composite media stream comprises a streaming video portion having picture-in-picture or side by side portions formed with the data packets of the first and the second time-adjusted streams would improve the

functionality for Nelson's system by allowing for simultaneous display of streams on the same screen as disclosed in the Mitsubishi reference.

31. Claim 16-19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nelson et al. (hereinafter Nelson) 4,598,397, in view of Anderson et al. (hereinafter Anderson), US 6,115,422.

32. As per claim 16, Nelson does not teach the apparatus of claim 15, further including a controller in communication with the input interface and the streaming media processor adapted for determining a variable transmission delay for the first and the second media streams based on a transmission time for a data packet of the first media stream and a time of receipt at the input interface of the data packet and on a transmission time for a data packet of the second media stream and a time of receipt at the input interface of the data packet.

33. Anderson teaches the apparatus of claim 15, further including a controller in communication with the input interface and the streaming media processor adapted for determining a variable transmission delay for the first and the second media streams based on a transmission time for a data packet of the first media stream and a time of receipt at the input interface of the data packet and on a transmission time for a data packet of the second media stream and a time of receipt at the input interface of the data packet (Col. 13, lines 57-62; Col. 2, lines 24-40; Col. 3, lines 33-35, lines 55-57; Col. 4, lines 26-28).

34. It would have been obvious to one of ordinary skill in this art at the time of invention was made to combine the teaching of Nelson and Anderson because they both dealing with combine multiple streams into one stream based on a time synchronized fashion. Furthermore, the teaching of Anderson to allow a controller in communication with the input interface and the streaming media processor adapted for determining a variable transmission delay for the first and the second media streams based on a transmission time for a data packet of the first media stream and a time of receipt at the input interface of

the data packet and on a transmission time for a data packet of the second media stream and a time of receipt at the input interface of the data packet would improve the latency for Nelson's system by accelerate or decrease the rate of processing incoming signals based on amount of current delay in the system.

35. As per claim 17, Nelson teaches the apparatus of claim 16, wherein the controller is further configured for adjusting the first intermediate format media stream based on the variable transmission delay of the first media stream and for adjusting the second intermediate format media stream based on the variable transmission delay of the second media stream to create a first and a second time-adjusted stream (Col. 10, line 67-Col. 11, line 10; Col. 10, lines 27-39).

36. As per claim 18, Nelson teaches the apparatus of claim 17, wherein the processor combines the first and second time-adjusted stream to form the composite media stream with the first media stream data packet and the second media stream data packet being positioned for concurrent delivery (Col. 7, lines 5-13; Col. 5, lines 12-15, lines 49-54; Col. 9, lines 66-Col. 10, line 3).

37. As per claim 19, Nelson teaches the apparatus of claim 17, wherein the time of receipt is determined based on a time reference signal received from an external timing reference (Col. 10, lines 1-3, lines 12-13, lines 23-24; Col. 12, lines 26-29).

### *Conclusion*

38. Applicant's remarks filed 10/01/2004 have been considered but are found not persuasive.

39. In the remark, the Applicant argued in substance that Nelson fails to disclose or suggest "file that is being transferred, there is not indication that files can or would be useful before being entirely

Art Unit: 2152

downloaded, receiving party can begin to use the data before downloading an entire file”.

In response to Applicant’s arguments that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., file that is being transferred, there is not indication that files can or would be useful before being entirely downloaded, receiving party can begin to use the data before downloading an entire file) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Furthermore, Nelson teaches of streaming media, see for example, Col. 3, lines 45-61, wherein the voice media is in the form of packets, and the packets can be used as soon as the conversation start during a voice session.

40. In the remark, the Applicant argued in substance that Nelson fails to disclose or suggest “contemplating combining first and second media streams into a composite media stream”

In response to Applicant’s arguments, the media streams are combined into a single stream, sample section, Col. 5, lines 10-15, lines 57-60; Col. 6, lines 60-67, wherein the synchronous data and the asynchronous data are being combined into a single stream, this step is further taught in details see for example, Fig 10(d), item 312 and 320, wherein the streams of data are combined using a multiplexor item 318; see also, Col. 25, lines 40-50 for the teaching section, thus, Nelson teaches the above section.

41. In the remark, the Applicant argued in substance that Nelson fails to disclose or suggest “identification of steaming medias received, and an interface for receiving said streaming media”.

In response to Applicant’s arguments, the streaming of media comprises of asynchronous and synchronous data steams (Col. 5, lines 10-15), the interface would be item 11, Fig 2, wherein plurality of clear channel devices 14 are attached in one embodiment, see for example, Col. 6, lines 60-65.

42. In the remark, the Applicant argued in substance that Nelson fails to disclose or suggest

Art Unit: 2152

“first data buffer”

In response to Applicant’s arguments, the first data buffer was disclosed in Nelson, see for example, item 312 in Fig 10.

43. In the remark, the Applicant argued in substance that Nelson fails to disclose or suggest “transmission delays”.

In response to Applicant’s arguments, Nelson teaches the transmission delay limitation, see for example, Col. 9, lines 24-26, Col. 13, lines 60-65, wherein the data is delayed prior to arriving at destination to allow proper synchronization. Furthermore, the controller 322 would determine the delay necessary, i.e. time in which the streams will be send out to the Multiplexsor and retrieve data from the buffers based on such a delay, the delay is also controlled by the clock signal coming from MUX 342.

44. In the remark, the Applicant argued in substance that Nelson fails to disclose or suggest “streaming video”.

In response to Applicant’s arguments, Nelson teaches of streaming video media, see for example, Col. 10, lines 40-45, wherein the system is capable of using image data, it is known in the art that video is an animated series of images, Nelson’s system can handle the image communications in the form of a video streams.

45. In the remark, the Applicant argued in substance that Nelson fails to disclose or suggest “beginning and ending of multi-packet streams”

In response to Applicant’s arguments, Nelson teaches the above section, Nelson’s system is synchronized, the multiplexed media steam when arriving at the destination will be resynchronized, thus timing information is a must; furthermore, see for example, Col. 11, lines 30-50 wherein the stop bit will describe an end of a packtized data stream.

Art Unit: 2152

46. In the remark, the Applicant argued in substance that Nelson fails to disclose or suggest “any packets from a first media stream are ‘correlated’ with any packets from a second media stream” In response to Applicant’s arguments, Nelson teaches the above section. See for example, Col. 5, lines 10-20, Col. 25, lines 45-50, wherein different formatted data are combined into a single composite stream.

47. In the remark, the Applicant argued in substance that Nelson fails to disclose or suggest “CODECs use multiple different standards, there is no discussion of intermediate media stream” In response to Applicant’s arguments, Nelson teaches the claimed section of claim 15, Nelson explicitly discloses that the composite streams can handle plurality of data formats, specifically, refer to Col. 25, lines 45-50; Col. 5, lines 12-20 for such details. The intermediate media streams are streams’s condition prior to arriving at the MUX 318.

48. In the remark, the Applicant argued in substance that Anderson fails to disclose or suggest claim 16, however, Applicant's arguments fail to comply with 37 CFR 1.111(b) because they amount to a general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references.

**THIS ACTION IS MADE FINAL.** Applicant is reined of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however

Art Unit: 2152

will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following patents and publications are cited to further show the state of the art with respect to

“Webcasting Method And System For Time Based Synchronization Of Multiple, Independent Media Streams”.

- |      |            |               |
|------|------------|---------------|
| i.   | US 5596420 | Daum          |
| ii.  | US 4833673 | Chao et al.   |
| iii. | US 6134379 | LaMacchia     |
| iv.  | US 4587651 | Nelson et al. |
| v.   | US 5788812 | Krause et al. |
| vi.  | US 5832085 | Inoue et al.  |

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chad Zhong whose telephone number is (571)272-3946. The examiner can normally be reached on M-F 7:15 to 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, BURGESS, GLENTON B can be reached on (571)272-3949. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair->

Art Unit: 2152

direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CZ

March 3, 2005

A handwritten signature in black ink, consisting of a series of loops and a long, sweeping horizontal stroke extending to the right.

Dung C. Dinh  
Primary Examiner